

In the Claims: (strikethrough parts deleted and underlined parts added)

Please delete Claims 4, 14 without prejudice.

1. (Currently Amended) A portable salon station system, comprising:
an enclosure comprised of a base and a cover, wherein said cover is removably connectable to said base;
a support platform attached within said base;
a support member pivotally attached to said support platform ~~within said base~~ at a pivot point;
a plurality of holder members attached to said support member;
a guide member pivotally attached to said support platform ~~within said base~~; and
a guide slot within said guide member that slidably receives a pin extending from said support member.
2. (Original) The portable salon station system of Claim 1, wherein said base and said cover have a heat resistant inner liner.
3. (Original) The portable salon station system of Claim 1, including a handle attached to said enclosure.
4. (Canceled)
5. (Original) The portable salon station system of Claim 1, wherein said guide slot is curved.
6. (Original) The portable salon station system of Claim 5, wherein said guide slot has an upper catch portion extending along the radius of movement of said guide member, wherein said upper catch portion selectively catches said pin to retain said support member in an upright position.

7. (Original) The portable salon station system of Claim 1, wherein said base includes a plurality of feet.

8. (Original) The portable salon station system of Claim 1, wherein said holder members have a tubular structure.

9. (Original) The portable salon station system of Claim 8, wherein said holder members are substantially vertical when said support member is positioned in an upright position.

10. (Original) A portable salon station system, comprising:
an enclosure comprised of a base and a cover, wherein said cover is removably connectable to said base;
a transporting structure having a plurality of wheels, wherein said transporting structure removably receives said enclosure;
a support member pivotally attached within said base at a pivot point;
a plurality of holder members attached to said support member;
a guide member pivotally attached within said base;
a guide slot within said guide member that slidably receives a pin extending from said support member;
wherein said base and said cover have a heat resistant inner liner;
a handle attached to said enclosure;
a support platform attached within said base that said support member and said guide member are pivotally connected to;
wherein said guide slot is curved;
wherein said guide slot has an upper catch portion extending along the radius of movement of said guide member, wherein said upper catch portion selectively catches said pin to retain said support member in an upright position;
wherein said base includes a plurality of feet;

wherein said holder members have a tubular structure;
wherein said holder members are substantially vertical when said support member is positioned in an upright position;
wherein said transporting structure is comprised of:
a plurality of support poles attached to said wheels;
a lower support attached to and extending from a lower portion of said support poles in a non-movable manner;
an upper support slidably attached to and extending from an upper portion of said support poles; and
a locking lever within said upper support for selectively locking a position of said upper support.

11. (Currently Amended) A portable salon station system, comprising:
an enclosure comprised of a base and a cover, wherein said cover is removably connectable to said base;
a transporting structure having a plurality of wheels, wherein said transporting structure removably receives said enclosure;
a support platform attached within said base;
a support member pivotally attached to said support platform ~~within said base~~ at a pivot point;
a plurality of holder members attached to said support member;
a guide member pivotally attached to said support platform ~~within said base~~; and
a guide slot within said guide member that slidably receives a pin extending from said support member.

12. (Original) The portable salon station system of Claim 11, wherein said base and said cover have a heat resistant inner liner.

13. (Original) The portable salon station system of Claim 11, including a handle attached to said enclosure.

14. (Canceled)

15. (Original) The portable salon station system of Claim 11, wherein said guide slot is curved.

16. (Original) The portable salon station system of Claim 15, wherein said guide slot has an upper catch portion extending along the radius of movement of said guide member, wherein said upper catch portion selectively catches said pin to retain said support member in an upright position.

17. (Original) The portable salon station system of Claim 11, wherein said base includes a plurality of feet.

18. (Original) The portable salon station system of Claim 11, wherein said holder members have a tubular structure.

19. (Original) The portable salon station system of Claim 18, wherein said holder members are substantially vertical when said support member is positioned in an upright position.

20. (Original) The portable salon station system of Claim 11, wherein said transporting structure is comprised of:

a plurality of support poles attached to said wheels;

a lower support attached to and extending from a lower portion of said support poles in a non-movable manner;

an upper support slidably attached to and extending from an upper portion of said support poles; and

a locking lever within said upper support for selectively locking a position of said upper support.

Please add the following claims:

21. (New) A portable salon station system, comprising:

an enclosure comprised of a base and a cover, wherein said cover is removably connectable to said base;

a support member pivotally attached within said base at a pivot point;

a plurality of holder members attached to said support member;

a guide member pivotally attached within said base; and

a guide slot within said guide member that slidably receives a pin extending from said support member, wherein said guide slot is curved, and wherein said guide slot has a main portion and an upper catch portion extending substantially transversely with respect to said main portion, wherein said upper catch portion selectively catches said pin to retain said support member in an upright position.

22. (New) The portable salon station system of Claim 21, wherein said holder members are substantially vertical when said support member is positioned in an upright position.